

The Role of Land-Cover Change in High Latitude Ecosystems: Implications for Carbon Budgets in Northern North America

PI: A. David McGuire, USGS and University of Alaska Fairbanks

Co-Investigators:

David W. Kicklighter, Marine Biological Laboratory

Jerry M. Melillo, Marine Biological Laboratory

Ranga B. Myneni, Boston University

David L. Verbyla, University of Alaska Fairbanks

Collaborators:

Michael Apps, Canadian Forest Service

Roger J. Dargaville, National Center for Atmospheric Research

Eric S. Kasischke, University of Maryland

Werner Kurz, Canadian Forest Service

Brian J. Stocks, Canadian Forest Service

Compton J. Tucker, NASA Goddard Space Flight Center

http address

- **Questions:**

- (1) Are Lakes and Wetlands Drying Up in Alaska?
- (2) What are the Consequences of Land Cover Change in Alaska and Canada for Carbon Storage in the Region?

- **Goals:**

- (1) To evaluate the extent to which lakes and wetlands are drying up in the Alaska region.
- (2) To elucidate the mechanisms responsible for changes in carbon storage of the Alaska-Canada region during the 20th Century.

- **Approaches:**

- (1) Conduct change detection analyses for 10 focus areas in Alaska by calculating lake areas in aerial photos and Landsat imagery available from approximately 1950 to present.
- (2) Use spatially and temporally explicit data on land cover change in the Alaska-Canada region to drive the Terrestrial Ecosystem Model (TEM) framework and compare results in the context of inversions of carbon exchange between the atmosphere and the land surface in the region.

Results

Are Lakes and Wetlands Drying Up in Alaska?

- In general, the area of open water of closed drainage in Alaska seems to be declining over the last several decades, with losses up to 33% in some wetland complexes.
- Analyses are being conducted to evaluate the “thermal” vs. “water balance” hypotheses of water loss.
- How inter-annual variability influences our results is a major concern, and needs further evaluation.

What are the Consequences of Land Cover Change in Alaska and Canada for Carbon Storage in the Region?

- Both increases in CO₂ and fire appear to have large effects on carbon storage, but the magnitude of these effects appear to have approximately balance each other since about 1970 when the fire frequency in Canada doubled.
- Climate, N deposition and O₃ have had smaller effects on carbon storage, with climate and N deposition tending to increase carbon storage, while O₃ tends to decrease carbon storage.
- Simulations conducted to date required the addition of fire to simulate patterns of inter-annual variability that are similar to those estimated by atmospheric inversions.
- A major challenge in integrating multiple data sets of disturbance into the modeling framework include harmonizing the stand-age distributions in the data sets developed for driving the model framework with data from forest inventory analyses on stand-age distributions.

Major Conclusions and Publications

Major Conclusions:

- The area of open water bodies in Alaska has been declining over the last several decades, with losses up to 33% in some wetland complexes.
- Comparisons of simulations with atmospheric inversions suggests that fire drives the inter-annual pattern of carbon exchange with the atmosphere in the Alaska-Canada region.
- Fire disturbance in the Alaska-Canada region is sensitive to climate warming and has doubled in frequency since 1970. It appears that the increased fire frequency may be offsetting carbon sequestration from other factors (increases in atmospheric CO₂, climate warming, and N deposition).

Publications:

- McGuire, A.D., M. Apps, F.S. Chapin III, R. Dargaville, M.D. Flannigan, E.S. Kasischke, D. Kicklighter, J. Kimball, W. Kurz, D.J. McRae, K. McDonald, J. Melillo, R. Myneni, B.J. Stocks, D.L. Verbyla, and Q. Zhuang. 2004. Canada and Alaska. Chapter 9 in *Land Change Science: Observing, Monitoring, and Understanding Trajectories of Change on the Earth's Surface*. Dordrecht, Netherlands, Kluwer Academic Publishers. In press.
- Csizsar, I., C.O. Justice, A.D. McGuire, M.A. Cochrane, D.P. Roy, F. Brown, S.G. Conard, P.G.H. Frost, L. Giglio, C. Elvidge, M.D. Flannigan, E. Kasischke, D.J. McRae, T.S. Rupp, B.J. Stocks, and D.L. Verbyla. 2004. Land use and fires. Chapter 19 in *Land Change Science: Observing, Monitoring, and Understanding Trajectories of Change on the Earth's Surface*. Dordrecht, Netherlands, Kluwer Academic Publishers. In press.
- Stow, D., A. Hope, A.D. McGuire, D. Verbyla, J. Gamon, K. Huemmrich, S. Houston, C. Racine, M. Sturm, K. Tape, K. Yoshikawa, L. Hinzman, C. Tweedie, B. Noyle, C. Silapaswan, D. Douglas, B. Griffith, G. Jia, H. Epstein, D. Walker, S. Daeschner, A. Petersen, L. Zhou, and R. Myneni. 2004. Remote sensing of vegetation and land-cover changes in Arctic tundra ecosystems. *Remote Sensing of Environment*. In press.
- Hinzman, L., N. Bettez, F.S. Chapin III, M. Dyurgerov, C. Fastie, B. Griffith, B. Hollister, A. Hope, H.P. Huntington, A. Jensen, D. Kane, D. Klein, A. Lynch, A. Lloyd, A.D. McGuire, F. Nelson, W. Oechel, T. Osterkamp, C. Racine, V. Romanovsky, J. Schimel, D. Stow, M. Sturm, C. Tweedie, G. Vourlitis, M. Walker, D. Walker, P.J. Webber, J. Welker, K. Winker, and K. Yoshikawa. 2004. Evidence and implications of recent climate change in terrestrial regions of the Arctic. *Climate Change*. In press.
- Harden, J.W., R. Meier, C. Darnel, D.K. Swanson, and A.D. McGuire. 2004. Soil drainage and its potential for influencing wildfire. In *USGS Activities in Alaska, 2001*. Edited by J.P. Galloway. U.S.G.S. professional paper 1678. In press.
- Bigelow, N. H., L. B. Brubaker, M. E. Edwards, S. P. Harrison, I. C. Prentice, P. M. Anderson, A. A. Andreev, P. J. Bartlein, T. R. Christensen, W. Cramer, J. O. Kaplan, A. V. Lozhkin, N. V. Matveyeva, D. F. Murray, A. D. McGuire, V. Y. Razzhivin, J. C. Ritchie, B. Smith, D. A. Walker, K. Gajewski, V. Wolf, B. Holmqvist, U. Igarashi, K. Kremenetskii, A. Paus, M. F. J. Pisarcic, and V. S. Volkova. 2003. Climate change and Arctic ecosystems I: Vegetation changes north of 55° N between the last glacial maximum, mid-Holocene and present. *Journal of Geophysical Research – Atmospheres*, 108(D19), 8170, doi:10.1029/2002JD002558.
- Kaplan, J.O., N.H. Bigelow, P.J. Bartlein, T.R. Christensen, W. Cramer, S.P. Harrison, N.V. Matveyeva, A.D. McGuire, D.F. Murray, I.C. Prentice, V.Y. Razzhivin, B. Smith, D.A. Walker, P.M. Anderson, A.A. Andreev, L.B. Brubaker, M.E. Edwards, A.V. Lozhkin, and J.C. Ritchie. 2003. Climate change and Arctic ecosystems II: Modeling, paleodatat-model comparisons, and future projections. *Journal of Geophysical Research – Atmospheres*, 108(D19), 8171, doi:10.1029/2002JD002559.
- Zhuang, Q., A.D. McGuire, J.M. Melillo, J.S. Clein, R.J. Dargaville, D.W. Kicklighter, R.B. Myneni, J. Dong, V.E. Romanovsky, J. Harden, and J.E. Hobbie. 2003. Carbon cycling in extratropical terrestrial ecosystems of the Northern Hemisphere during the 20th Century: A modeling analysis of the influences of soil thermal dynamics. *Tellus* 55B:751-776.
- Chapin, F.S. III, T.S. Rupp, A.M. Starfield, L. DeWilde, E.S. Zavaleta, N. Fresco, J. Henkelman, and A.D. McGuire. 2003. Planning for resilience: Modeling change in human-fire interactions in the Alaskan boreal forest. *Frontiers in Ecology and the Environment* 1:255-261.
- McGuire, A.D., C. Wirth, M. Apps, J. Beringer, J. Clein, H. Epstein, D.W. Kicklighter, J. Bhatti, F.S. Chapin III, B. de Groot, D. Efremov, W. Eugster, M. Fukuda, T. Gower, L. Hinzman, B. Huntley, G.J. Jia, E. Kasischke, J. Melillo, V. Romanovsky, A. Shvidenko, E. Vaganov, and D. Walker. 2002. Environmental variation, vegetation distribution, carbon dynamics, and water/energy exchange in high latitudes. *Journal of Vegetation Science* 13:301-314.
- Zhuang, Q., A.D. McGuire, J. Harden, K.P. O'Neill, V.E. Romanovsky, and J. Yarie. 2002. Modeling soil thermal and carbon dynamics of a fire chronosequence in interior Alaska. *Journal of Geophysical Research – Atmospheres* 107, 8147, doi:10.1029/2001JD001244 [printed 108(D1), 2003].
- Dargaville, R., A.D. McGuire, and P. Rayner. 2002a. Estimates of large-scale fluxes in high latitudes from terrestrial biosphere models and an inversion of atmospheric CO₂ measurements. *Climatic Change* 55:273-285.